
# **SINSU INSULATION**

For Our Earth For Our Future

## Potherm® GA Panel

A 100 % CFC, HCFC or HFC-free insulationboard with a rigid polyisocyanurate foam core, clad on both sides with mesh glass fabric and a reflective multi-layer gastight aluminium complex.



#### Applications:

A framing insulation for timber, steel deck and concrete

#### Thermal Conductivity:

0.022 W/(M.K) in accordance with EN 13165

Bulk density: 32±2 kg/m3 Fire and Flame Properties:

Compressive strength: 195KPa SINSU Potherm AA has a reaction to fire class E in accordance with

Closed cell structure: 96% EN 13501-1 and Chinese Class B1 in accordance with GB/T20284.

Air permeance: 0.001 L/s/m<sup>2</sup> The insulation board has a low to zero smoke emission rate and

Water absorption: 0.55%

does not melt or drip.

### R-value of Thermal Performance Calculation Sheet

Thickness	30	40	50	60	70	80	90	100	120	140	160
R value	1.36	1.82	2.5	2.73	3.19	3.64	4.09	4.55	5.45	6.36	7.27
U value	0.73	0.55	0.4	0.37	0.31	0.28	0.24	0.22	0.18	0.16	0.14

#### Standard Diemensions:

Length: 2280mm Width: 1200mm

Email: sales@sinsutech.com Website: www.sinsutech.com